

# Suction cup F-BX15 Silicone G1/8" male SS, detectable, FCM , 0207055



- The silicone material complies with FDA 21 CFR 177.2600 and EU 1935/2004.
- Long lasting high-end silicone material.
- A low percentage metal additive (Fe) is mixed with the rubber material to make it detectable.
- Suitable for frozen and raw food.
- Excellent grip on food with irregular surfaces and different heights, even at fast speeds and accelerations
- Available with male threaded food grade, detectable plastic fittings or acid proof stainless steel fittings.
- Easy to clean with hygienic design. No dust/dirt pockets.
- Low vacuum level needed to collapse bellows. Reduces risk for damaging the handled food product

## General

Curve radius	5.5 mm
Movement, vertical max.	9.8 mm
Application	Food contact materials (FDA & EU), detectable
Material	ASTM 316L, Silicone (SIL detectable FCM)
Suction cup model	F-BX
Suction cup shape	Multibellows
Volume	1.13 cm <sup>3</sup>
Weight	11.6 g

## Fitting

Fitting size	1/8"
Fitting style	Male
Fitting type	G-thread
Fitting option	None

## Dimension

Height	29 mm
Outer diameter	16 mm
Outer diameter, actuated	16 mm

## Performance — lifting forces

		
10 -kPa	1.3 N	1.5 N
20 -kPa	2.7 N	2.8 N
40 -kPa	4.3 N	3.6 N


## Material

	Silicone (SIL detectable FCM)
Colour	Blue
Hardness	40 °Shore A
Temperature	-40 – 200 °C

## Material resistance

	Silicone (SIL detectable FCM)
Alcohol	++
Concentrated acids	-
Ethanol	N/A
Hydrolysis	+
Methanol	N/A
Oil	-
Oxidation	+++
Petrol	-
Wear resistance	++
Weather and ozone	+++

## Dimensional drawings



## Values specified in the data sheet are tested at:

Room temperature	(20°C [68°F] ± 3°C [5.5°F])
Standard atmosphere	(101.3 [29.9 inHg] ± 1.0 kPa [0.3 inHg])
Relative humidity	0-100%
Compressed air quality	DIN ISO 8573-1 class 4

## Spare parts

	Item no.
Suction cup F-BX15 Silicone detectable, FCM	0206203
Fitting G1/8" Male, SS, F-BX15-20 P-D27	0207139

## Accessories

	Item no.
Fitting G1/8" Male, SS, F-BX15-20 P-D27	0207139
Fitting 1/8"NPT Male, SS, F-BX15-20 P-D27	0207140
Fitting G1/4" Male, SS, F-BX15-20 P-D27	0207141
Fitting 1/4"NPT Male, SS, F-BX15-20 P-D27	0207142
Fitting G1/8" Male, composite, F-BX15-20 P-D27	0207143
Fitting 1/8"NPT Male, composite, F-BX15-20 P-D27	0207144
Fitting G1/4" Male, composite, F-BX15-20 P-D27	0207145
Fitting 1/4"NPT Male, composite, F-BX15-20 P-D27	0207146